Behavioural Brain Research, 25 (1987) 261–262
Elsevier

Author Index

A

Antuono, P.G., see Sanberg, P.R., 97

B

Beracochea, D., Lescaudron, L. Tako, A., Verna, A. and Jaffard, R., Build-up and release from proactive interference during chronic ethanol consumption in mice: a behavioral and neuroanatomical study, 63
Bliss, T.V.P., see Laroche, S., 23
Braszko, J.J., Wiśniewski, K., Kupryszewski, G. and Witczuk, B., Psychotropic effects of angiotensin II and III in rats: locomotor and exploratory vs cognitive behaviour, 195

C

Cardo, B., see Ferssiwi, A., 109
Cools, A., see Gelissen, M., 1
Cools, A., see Gelissen, M., 83
Cools, A.R., Ellenbroek, B., Van den Bos, R. and Gelissen, M., Mesolimbic noradrenaline: specificity, stability and dose-dependency of individual-specific responses to mesolimbic injections of α-noradrenergic agonists, 49
Coyle, J.T., see Sanberg, P.R., 97
Czihak, E., Rüdiger, W. and Schulze, K., Behaviourally dependent modulation of lateral geniculate unit activity in the freely moving cat, 167

D

Davis, R.E. and Klinger, P.D., Spatial discrimination in goldfish following bilateral tectal ablation, 255
De Vos-Korthals, W.H., see Van Hof, M.W., 247
Di Stefano, M., Kusmic, C. and Musumeci, D., Binocular interactions measured by choice reaction times in pigeons, 161

E

Ellenbroek, B., see Cools, A.R., 49
Ellis, W.G., see Maler, L., 75
Errington, M.L., see Laroche, S., 23

F

Feer, H., see Gentsch, C., 101
Ferssiwi, A., Cardo, B. and Velley, L., Electrical self-stimulation in the parabrachial area is depressed after ibotenic acid lesion of the lateral hypothalamus, 109

G

Gelissen, M. and Cools, A., Movement of cats on a rotating cylinder: role of the substantia nigra pars reticulata and the deeper layers of the superior colliculus, 83
Gelissen, M. and Cools, A., The interrelationship between superior colliculus and substantia nigra pars reticulata in programming movements of cats: follow-up, 1
Gelissen, M., see Cools, A.R., 49
Gentsch, C., Lichtsteiner, M. and Feer, H., Open field and elevated plus-maze: a behavioural comparison between spontaneously hypertensive (SHR) and Wistar–Kyoto (WKY) rats and the effects of chlordiazepoxide, 101
Grill, H.J., see Travers, J.B., 233
Guic-Robles, E., see Pinto-Hamuy, T., 221

H

Hamada, T., Neural response to the motion of textures in the lateral suprasylvian area of cats, 175
Harvey, G.C., see Vanderwolf, C.H., 31
Henault, M.A., see Sanberg, P.R., 97
Hobbelen, J.F., see Van Hof, M.W., 247

J

Jaffard, R., see Beracochea, D., 63

K

Klinger, P.D., see Davis, R.E., 255
Kolb, B., Recovery from early cortical damage in rats. I. Differential behavioural and anatomical effects of frontal lesions at different ages of neural maturation, 205
Kupryszewski, G., see Braszko, J.J., 195
Kusmic, C., see Di Stefano, M., 161

L

Laroche, S., Errington, M.L., Lynch, M.A. and Bliss, T.V.P., Increase in [^{3}H]glutamate release from slices of dentate gyrus and hippocampus following classical conditioning in the rat, 23
Lescaudron, L., see Beracochea, D., 63
Leung, L.-W.S., see Vanderwolf, C.H., 31
Lichtsteiner, M., see Gentsch, C., 101
Lynch, M.A., see Laroche, S., 23

M

Maler, L. and Ellis, W.G., Inter-male aggressive signals in weakly electric fish are modulated by monoamines, 75

Moran, T.H., see Sanberg, P.R., 97
Morgues, M., see Pinto-Hamuy, T., 221
Musumeci, D., see Di Stefano, M., 161

N

Naito, H. and Tonoue, T., Sex difference in ultrasound distress call by rat pups, 13
Nassal, O., see Pinto-Hamuy, T., 221
Nejat-Bina, D., see Staubli, U., 117
Norgren, R., see Travers, J.B., 233

O

Olavarria, J., see Pinto-Hamuy, T., 221
Olmstead, C.E., Neurological and neurobehavioral development of the mutant 'twitcher' mouse, 143

P

Petit, D., see Pinto-Hamuy, T., 221
Pinto-Hamuy, T., Olavarria, J., Guic-Robles, E., Morgues, M., Nassal, O. and Petit, D., Rats with lesions in anteromedial extrastriate cortex fail to learn a visuosomatic conditioned response, 221

R

Rüdiger, W., see Czihak, E., 167

S

Sanberg, P.R., Henault, M.A., Moran, T.H., Antuono, P.G. and Coyle, J.T., The development of daytime rearing behavior in methylazoxymethanol-treated rats: methodological considerations, 97
Schottler, F., see Staubli, U., 117
Schreurs, B.G., Parameters and sites of brainstem stimulation capable of eliciting the rabbit nictitating membrane response, 155
Schulze, K., see Czihak, E., 167
Simbayi, L.C., Effects of anterior basolateral amygdala lesions on taste aversions produced by high and low oral doses of LiCl and lactose in the rat, 131
Staubli, U., Schottler, F. and Nejat-Bina, D., Role of dorsomedial thalamic nucleus and piriform cortex in processing olfactory information, 117
Stwertka, S.A., Anterior limbic unit activity during delayed response in cats, 187

T

Tako, A., see Beracochea, D., 63
Tonoue, T., see Naito, H., 13
Travers, J.B., Grill, H.J. and Norgren, R., The effects of glossopharyngeal and chorda tympani nerve cuts on the ingestion and rejection of sapid stimuli: an electromyographic analysis in the rat, 233

V

Van den Bos, R., see Cools, A.R., 49
Vanderwolf, C.H., Harvey, G.C. and Leung, L.-W.S., Transcallosal evoked potentials in relation to behavior in the rat: effects of atropine, *p*-chlorophenylalanine, reserpine and trifluoperazine, 31
Van Hof, M.W., Hobbelen, J.F. and De Vos-Korthals, W.H., Motor behaviour and visual discrimination after neonatal and adult hemidecortication in the rabbit, 247
Velley, L., see Ferssiwi, A., 109
Verna, A., see Beracochea, D., 63

W

Wiśniewski, K., see Braszko, J.J., 195
Witczuk, B., see Braszko, J.J., 195

Behavioural Brain Research, 25 (1987) 263–268
Elsevier

Key Word Index

A

Age dependency
recovery from brain damage; motor system; visual system; hemidecortication; rabbit, 247

Aggression
communication; dopamine; norepinephrine; serotonin; gymnotid fish, 75

Angiotensin II
angiotensin III; motor activity; stereotypy; appetitive reinforcement; avoidance; memory; rat, 195

Angiotensin III
angiotensin II; motor activity; stereotypy; appetitive reinforcement; avoidance; memory; rat, 195

Anterior limbic
delayed response; prefrontal cortex; limbic system; response inhibition; cat, 187

Anterograde amnesia
olfactory discrimination learning; higher mammalian memory; dorsomedial thalamic nucleus; piriform cortex; procedural impairment; encoding deficit; rat, 117

Appetitive reinforcement
angiotensin II; angiotensin III; motor activity; stereotypy; avoidance; memory; rat, 195

Average evoked potential
behaviour; cholinergic neuron; corpus callosum; multiunit activity; serotonergic neuron, 31

Avoidance
angiotensin II; angiotensin III; motor activity; stereotypy; appetitive reinforcement; memory; rat, 195

B

Basolateral amygdala (BLA)
conditioned taste aversion (CTA); LiC-induced toxicosis; lactose malabsorption; gastrointestinal (GI) distress; dosage level; rat, 131

Behavior
average evoked potential; cholinergic neuron; corpus callosum; multiunit activity; serotonergic neuron, 31

nucleus accumbens; noradrenaline; α_1-noradrenergic agent; rat, 49

Bimodal stimulus
visual cortex; extrastriate visual area; cortical lesion; visuosomatic conditional discrimination; rat, 221

Binocular interaction
choice reaction time; probability summation; neural summation; pigeon, 161

Brainstem
electrical brain stimulation; nictitating membrane, 155

C

Cat
movement; picrotoxin; substantia nigra pars reticulata; superior colliculus, 1

rotating cylinder; movement; picrotoxin; muscimol; substantia nigra pars reticulata; superior colliculus, 83

free behaviour; dorsal lateral geniculate body; unit activity; locomotion; light stimulus, 167

motion analysis; optokinetic nystagmus; lateral suprasylvian visual area; texture; neural response, 175

anterior limbic; delayed response; prefrontal cortex; limbic system; response inhibition, 187

Chlordiazepoxide
open field; elevated plus-maze; spontaneously hypertensive rat; Wistar–Kyoto rat, 101

Choice reaction time
binocular interaction; probability summation; neural summation; pigeon, 161

Cholinergic neuron
average evoked potential; behavior; corpus callosum; multiunit activity; serotonergic neuron, 31

Chorda tympani
glossopharyngeal; ingestion; rejection; swallowing; electromyography, 233

Classical conditioning
conditioned suppression; hippocampus; glutamate release; memory consolidation, 23

visual discrimination; optic tectum; goldfish visual sensitivity; diencephalon; pretectum, 255

Communication
aggression; dopamine; norepinephrine; serotonin; gymnotid fish, 75

Conditioned suppression
classical conditioning; hippocampus; glutamate release; memory consolidation, 23

Conditioned taste aversion (CTA)
basolateral amygdala (BLA); LiC-induced toxicosis; lactose malabsorption; gastrointestinal (GI) distress; dosage level; rat, 131

Corpus callosum
average evoked potential; behavior; cholinergic neuron; multiunit activity; serotonergic neuron, 31

Cortex
neonatal lesion; recovery of function, 205

Cortical lesion
visual cortex; extrastriate visual area; bimodal stimulus; visuosomatic conditional discrimination; rat, 221

D

Delayed response
anterior limbic; prefrontal cortex; limbic system; response inhibition; cat, 187

Demyelinating disease
neurology; open field; strength; locomotion; development; Twitcher mouse, 143

Development
rearing; methylazoxymethanol; neuroplasticity, 97

neurology; open field; strength; locomotion; demyelinating disease; Twitcher mouse, 143

Diencephalon
visual discrimination; optic tectum; classical conditioning; goldfish visual sensitivity; pretectum, 255

Dopamine
aggression; communication; norepinephrine; serotonin; gymnotid fish, 75

Dorsal lateral geniculate body
free behaviour; unit activity; locomotion; light stimulus; cat, 167

Dorsomedial thalamic nucleus
olfactory discrimination learning; higher mammalian memory; piriform cortex; procedural impairment; encoding deficit; anterograde amnesia; rat, 117

Dosage level
basolateral amygdala (BLA); conditioned taste aversion (CTA); LiC-induced toxicosis; lactose malabsorption; gastrointestinal (GI) distress; rat, 131

E

Electrical self-stimulation
ibotenic acid lesion; lateral hypothalamus; parabrachial area; rat, 109

Electrical brain stimulation
brainstem; nictitating membrane, 155

Electromyography
glossopharyngeal; chorda tympani; ingestion; rejection; swallowing, 233

Elevated plus-maze
chlordiazepoxide; open field; spontaneously hypertensive rat; Wistar–Kyoto rat, 101

Encoding deficit
olfactory discrimination learning; higher mammalian memory; dorsomedial thalamic nucleus; piriform cortex; procedural impairment; anterograde amnesia; rat, 117

Ethanol
spontaneous alternation; memory; Korsakoff syndrome; mammillary body; hippocampus; interference; retrieval, 63

Extrastriate visual area
visual cortex; cortical lesion; bimodal stimulus; visuosomatic conditional discrimination; rat, 221

F

Free behaviour
dorsal lateral geniculate body; unit activity; locomotion; light stimulus; cat, 167

G

Gastrointestinal (GI) distress
basolateral amygdala (BLA); conditioned taste aversion (CTA); LiC-induced toxicosis; lactose malabsorption; dosage level; rat, 131

Glossopharyngeal
chorda tympani; ingestion; rejection; swallowing; electromyography, 233

Glutamate release
classical conditioning; conditioned suppression; hippocampus; memory consolidation, 23

Goldfish visual sensitivity
visual discrimination; optic tectum; classical conditioning; diencephalon; pretectum, 255

Gymnotid fish
aggression; communication; dopamine; norepinephrine; serotonin, 75

H

Hemidecortication
recovery from brain damage; age dependency; motor system; visual system; rabbit, 247

Higher mammalian memory
olfactory discrimination learning; dorsomedial thalamic nucleus; piriform cortex; procedural impairment; encoding deficit; anterograde amnesia; rat, 117

Hippocampus
classical conditioning; conditioned suppression; glutamate release; memory consolidation, 23

spontaneous alternation; memory; Korsakoff syndrome; ethanol; mammillary body; interference; retrieval, 63

I

Ibotenic acid lesion
electrical self-stimulation; lateral hypothalamus; parabrachial area; rat, 109

Ingestion
glossopharyngeal; chorda tympani; rejection; swallowing; electromyography, 233

Interference
spontaneous alternation; memory; Korsakoff syndrome; ethanol; mammillary body; hippocampus; retrieval, 63

K

Korsakoff syndrome
spontaneous alternation; memory; ethanol; mammillary body; hippocampus; interference; retrieval, 63

L

Lactose malabsorption
basolateral amygdala (BLA); conditioned taste aversion (CTA); LiC-induced toxicosis; gastrointestinal (GI) distress; dosage level; rat, 131

Lateral hypothalamus
electrical self-stimulation; ibotenic acid lesion; parabrachial area; rat, 109

Lateral suprasylvian visual area
motion analysis; optokinetic nystagmus; texture; neural response; cat, 175

LiC-induced toxicosis
basolateral amygdala (BLA); conditioned taste aversion (CTA); lactose malabsorption; gastrointestinal (GI) distress; dosage level; rat, 131

Light stimulus
free behaviour; dorsal lateral geniculate body; unit activity; locomotion; cat, 167

Limbic system
anterior limbic; delayed response; prefrontal cortex; response inhibition; cat, 187

Locomotion
neurology; open field; strength; demyelinating disease; development; Twitcher mouse, 143

free behaviour; dorsal lateral geniculate body; unit activity; light stimulus; cat, 167

M

Mammillary body
spontaneous alternation; memory; Korsakoff syndrome; ethanol; hippocampus; interference; retrieval, 63

Memory
spontaneous alternation; Korsakoff syndrome; ethanol; mammillary body; hippocampus; interference; retrieval, 63

angiotensin II; angiotensin III; motor activity; stereotypy; appetitive reinforcement; avoidance; rat, 195

Memory consolidation
classical conditioning suppression; hippocampus; glutamate release, 23

Methylazoxymethanol
rearing; development; neuroplasticity, 97

Motion analysis
optokinetic nystagmus; lateral suprasylvian visual area; texture; neural response; cat, 175

Motor activity
angiotensin II; angiotensin III; stereotypy; appetitive reinforcement; avoidance; memory; rat, 195

Motor system
recovery from brain damage; age dependency; visual system; hemidecortication; rabbit, 247

Movement
picrotoxin; substantia nigra pars reticulata; superior colliculus; cat, 1

rotating cylinder; picrotoxin; muscimol; substantia nigra pars reticulata; superior colliculus; cat, 83

Multiunit activity
average evoked potential; behavior; cholinergic neuron; corpus callosum; serotonergic neuron, 31

Muscimol
rotating cylinder; movement; picrotoxin; substantia nigra pars reticulata; superior colliculus; cat, 83

N

Neonatal lesion
cortex; recovery of function, 205

Neural response
motion analysis; optokinetic nystagmus; lateral suprasylvian visual area; texture; cat, 175

Neural summation
binocular interaction; choice reaction time; probability summation; pigeon, 161

Neurology
open field; strength; locomotion; demyelinating disease; development; Twitcher mouse, 143

Neuroplasticity
rearing; methylazoxymethanol; development, 97

Nictitating membrane
electrical brain stimulation; brainstem, 155

α_1-Noradrenergic agent
nucleus accumbens; noradrenaline; behavior; rat, 49

Noradrenaline
nucleus accumbens; α_1-noradrenergic agent; behavior; rat, 49

Norepinephrine
aggression; communication; dopamine; serotonin; gymnotid fish, 75

Nucleus accumbens
noradrenaline; α_1-noradrenergic agent; behavior; rat, 49

O

Olfactory discrimination learning
higher mammalian memory; dorsomedial thalamic nucleus; piriform cortex; procedural impairment; encoding deficit; anterograde amnesia; rat, 117

Open field
chlodiazepoxide; elevated plus-maze; spontaneously hypertensive rat; Wistar–Kyoto rat, 101

neurology; strength; locomotion; demyelinating disease; development; Twitcher mouse, 143

Optic tectum
visual discrimination; classical conditioning; goldfish visual sensitivity; diencephalon; pretectum, 255

Optokinetic nystagmus
motion analysis; lateral suprasylvian visual area; texture; neural response; cat, 175

P

Parabrachial area
electrical self-stimulation; ibotenic acid lesion; lateral hypothalamus; rat, 109

Picrotoxin
movement; substantia nigra pars reticulata; superior colliculus; cat, 1

rotating cylinder; movement; muscimol; substantia nigra pars reticulata; superior colliculus; cat, 83

Pigeon
binocular interaction; choice reaction time; probability summation; neural summation, 161

Piriform cortex
olfactory discrimination learning; higher mammalian memory; dorsomedial thalamic nucleus; procedural impairment; encoding deficit; anterograde amnesia; rat, 117

Prefrontal cortex
anterior limbic; delayed response; limbic system; response inhibition; cat, 187

Pretectum
visual discrimination; optic tectum; classical conditioning; goldfish visual sensitivity; diencephalon, 255

Probability summation
binocular interaction; choice reaction time; neural summation; pigeon, 161

Procedural impairment
olfactory discrimination learning; higher mammalian memory; dorsomedial thalamic nucleus; piriform cortex; encoding deficit; anterograde amnesia; rat, 117

R

Rabbit
recovery from brain damage; age dependency; motor system; visual system; hemidecortication, 247

Rat
nucleus accumbens; noradrenaline; α_1-noradrenergic agent; behavior, 49

electrical self-stimulation; ibotenic acid lesion; lateral hypothalamus; parabrachial area, 109

olfactory discrimination learning; higher mammalian memory; dorsomedial thalamic nucleus; piriform cortex; procedural impairment; encoding deficit; anterograde amnesia, 117

basolateral amygdala (BLA); conditioned taste aversion (CTA); LiC-induced toxicosis; lactose malabsorption; gastrointestinal (GI) distress; dosage level, 131

angiotensin II; angiotensin III; motor activity; stereotypy; appetitive reinforcement; avoidance; memory, 195

visual cortex; extrastriate visual area; cortical lesion; bimodal stimulus; visuosomatic conditional discrimination, 221

Rat pup
ultrasonic distress call; sex difference, 13

Rearing
methylazoxymethanol; development; neuroplasticity, 97

Recovery from brain damage
age dependency; motor system; visual system; hemidecortication; rabbit, 247

Recovery of function
cortex; neonatal lesion, 205

Rejection
glossopharyngeal; chorda tympani; ingestion; swallowing; electromyography, 233

Response inhibition
anterior limbic; delayed response; prefrontal cortex; limbic system; cat, 187

Retrieval
spontaneous alternation; memory; Korsakoff syndrome; ethanol; mammillary body; hippocampus; interference, 63

Rotating cylinder
movement; picrotoxin; muscimol; substantia nigra pars reticulata; superior colliculus; cat, 83

S

Serotonergic neuron
average evoked potential; behavior; cholinergic neuron; corpus callosum; multiunit activity, 31

Serotonin
aggression; communication; dopamine; norepinephrine; gymnotid fish, 75

Sex difference
ultrasonic distress call; rat pup, 13

Spontaneous alternation
memory; Korsakoff syndrome; ethanol; mammillary body; hippocampus; interference; retrieval, 63

Spontaneously hypertensive rat
chlordiazepoxide; open field; elevated plus-maze; Wistar–Kyoto rat, 101

Stereotypy
angiotensin II; angiotensin III; motor activity; appetitive reinforcement; avoidance; memory; rat, 195

Strength
neurology; open field; locomotion; demyelinating disease; development; Twitcher mouse, 143

Substantia nigra pars reticulata
movement; picrotoxin; superior colliculus; cat, 1

rotating cylinder; movement; picrotoxin; muscimol; superior colliculus; cat, 83

Superior colliculus
movement; picrotoxin; substantia nigra pars reticulata; cat, 1

rotating cylinder; movement; picrotoxin; muscimol; substantia nigra pars reticulata; cat, 83

Swallowing
glossopharyngeal; chorda tympani; ingestion; rejection; electromyography, 233

T

Texture
motion analysis; optokinetic nystagmus; lateral suprasylvian visual area; neural response; cat, 175

Twitcher mouse
neurology; open field; strength; locomotion; demyelinating disease; development, 143

U

Ultrasonic distress call
sex difference; rat pup, 13

Unit activity
free behaviour; dorsal lateral geniculate body; locomotion; light stimulus; cat, 167

V

Visual cortex
extrastriate visual area; cortical lesion; bimodal stimulus; visuosomatic conditional discrimination; rat, 221

Visual discrimination
optic tectum; classical conditioning; goldfish visual sensitivity; diencephalon; pretectum, 255

Visual system
recovery from brain damage; age dependency; motor system; hemidecortication; rabbit, 247

Visuosomatic conditional discrimination
visual cortex; extrastriate visual area; cortical lesion; bimodal stimulus; rat, 221

W

Wistar–Kyoto rat
chlordiazepoxide; open field; elevated plus-maze; spontaneously hypertensive rat, 101